



ARIS ACCELERATORS FOR GDPR INSTALLATION GUIDE

ARIS 10

August 2026

Table of Contents

1. Introduction and prerequisites	3
2. Import and merge the GDPR method extension filter	4
3. Restore GDPR databases	5
4. Import GDPR reports	6
4.1. Import ARIS Risk and Compliance reports	6
4.2. Import ARIS reports	7
4.3. Import mapping file	7
5. Import GDPR queries	9
6. Create a GDPR impact type in ARIS Risk and Compliance	11
7. Install ARIS accelerators	13
7.1. Provide the full classicGDPR configuration	13
7.2. Provide a merged GDPR configuration	14
7.3. Activate the GDPR configuration including the dashboard modification set	16
7.4. Import GDPR content type	17
7.5. Import GDPR dashboards	17
7.6. Provide the GDPR dashboards	18
7.7. Create a GDPR Dashboard user group in ARIS	19
7.8. Define an alias URL for the GDPR dashboards	20
8. Support and legal information	22
8.1. Documentation scope	22
8.2. Support	22
8.3. Legal notices	23

1. Introduction and prerequisites

ARIS Accelerators for GDPR combine configurations, content, and method enhancements for ARIS and ARIS Risk and Compliance to speed up the implementation of General Data Protection Regulation (GDPR) compliance projects.

Prerequisites

- ARIS and ARIS Risk and Compliance are running.
- All relevant runnables are in **STARTED** state.
- The **system** user has all required privileges. (The **system** user has all required privileges by default, unless an administrator revoked the privileges.) Make sure you have the **Dashboard administrator** function privilege.
- You have access to the unzipped data of **ARIS Accelerators for GDPR-<version number>.<change list number>.zip** (Example: **ARIS Accelerators for GDPR-10.0.10.1.1263081.zip**).

For detailed information, refer to the **GDPR Conventions for ARIS Accelerators** guide, or **Installation** in the **Technical Help** of ARIS Risk and Compliance or ARIS.

2. Import and merge the GDPR method extension filter

Import and merge the **GDPR method extension** filter. It adds derived and user-defined method constructs (model types, object types, symbols, connection types, attribute type groups, and attribute types) to the ARIS method. These method constructs are required for GDPR regulation. All other accelerators are based on this enhanced ARIS method.

To use the GDPR method extensions, use the **Entire method** filter or add the GDPR method extensions to any existing ARIS GRC filter. The GDPR method extension filter contains only additional enhancements for GDPR which are based on the GRC method. For detailed information on the GRC method, refer to the convention manuals delivered with ARIS Risk and Compliance.

Prerequisites

See [Introduction and prerequisites \[3\]](#).

Procedure

1. Start ARIS.
2. Log in as **system** user.
3. Click  **Application launcher** >  **Administration**.  **Configuration** is displayed.
4. Click **Conventions**.
5. Click **Filters** on the left.
6. Click  **Import**. The **Import filter** dialog opens.
7. Click **Select file**.
8. Navigate to the directory in which the unzipped data of the **ARIS Accelerators for GDPR-<version number>.<change list number>.zip** (Example: **ARIS Accelerators for GDPR-10.0.10.1.1263081.zip**) is stored.
9. Select the path **GDPR accelerator > Filter**, then select the file **GDPR method extension.filter**.
10. Click **Open**.
11. Click **Import**. The filter is imported into the tenant and added to the list of filters.
12. Merge the **GDPR method extension** filter with GRC filters in use, if necessary.
 - a. In the row of the **GDPR method extension** filter, click  **More** >  **Edit filter** > **Merge filters**. The **Edit filter** panel opens.
 - b. Select the filter you want to merge with the **GDPR method extension** filter.
 - c. Click **Merge filters**.

The filter is created. It combines all settings of the merged filters.

Important: Now you must specify this filter as the default filter for your GDPR databases in ARIS ( **Administration** >  **Configuration** > **Databases**, select the relevant database, click  **More** > **Default filter**).

3. Restore GDPR databases

Restore the GDPR databases for ARIS. They contain the complete GDPR regulation as an ARIS model as well as the required GDPR questionnaires (**Application System Qualification, GDPR Processing Activity Documentation (Controller), GDPR Processing Activity Documentation (Processor), GDPR Processing Activity Qualification, GDPR Data Protection Impact Assessment**).

Prerequisites

See [Introduction and prerequisites \[3\]](#).

Procedure

1. Start ARIS.
2. Log in as **system** user.
3. Click  **Application launcher** >  **Administration**.  **Configuration** is displayed.
4. Click **Databases**.
5. Click  **Restore**. The corresponding dialog opens.
6. Click **Select file**.
7. Navigate to the directory in which the unzipped data of the **ARIS Accelerators for GDPR-<version number>.<change list number>.zip** (Example: **ARIS Accelerators for GDPR-10.0.10.1.1263081.zip**) is stored.
8. Select the path **GDPR accelerator > Databases**, then select the file **GDPR questionnaires.adb**.
9. Click **Open**.
10. Click **Restore**.
11. Repeat these steps for the database file **GDPR regulation model.adb**.

The databases are available.

4. Import GDPR reports

The GDPR reports contain ARIS and ARIS Risk and Compliance reports for internal and external use, such as the **Record of processing activities**, the **GDPR data protection impact assessment**, and the **GDPR management report**, or analyses such as the **Data allocation matrix** and the **Survey intelligence report**.

4.1. Import ARIS Risk and Compliance reports

Import the GDPR reports that are to be run in ARIS Risk and Compliance.

Prerequisites

See [Introduction and prerequisites \[3\]](#).

Procedure

1. Start ARIS.
2. Log in as **system** user.
3. Click  **Application launcher** >  **Administration**.  **Configuration** is displayed.
4. Click **Evaluations**.
5. In the left-hand panel, click **SCRIPTS > Risk and Compliance reports**.
6. Create a new category or use an existing category.
 - a. To create a new category, click  **Create category**.
 - b. Enter a name, for example, GDPR, then click **Apply**.
7. To import the reports, click the relevant category.
 - a. Click  **Import**.
 - b. Navigate to the directory in which the unzipped data of the **ARIS Accelerators for GDPR-<version number>.<change list number>.zip** (Example: **ARIS Accelerators for GDPR-10.0.10.1.1263081.zip**) is stored.
 - c. Select the path **GDPR accelerator > Reports > ARCM reports**.
 - d. Since multiple selection is not enabled, select one of the reports: **Output GDPR data protection impact assessment.arx**, **Output extended GDPR management report.arx**, **Output GDPR management report.arx**, **Output record of processing activities.arx**, or **Output survey intelligence report.arx**.
 - e. Click **Open**. The **Import files** dialog opens.
 - f. Enable all scripts in the dialog to import them with the report.
 - g. Click **Import**.
 - h. Repeat the import steps for each report.

The GDPR reports are imported.

Warning

If you modify the GDPR reports according to your requirements, save them with new names to make sure they are not overwritten by an update.

4.2. Import ARIS reports

Import the GDPR report that is to be run in ARIS.

Prerequisites

See [Introduction and prerequisites \[3\]](#).

Procedure

1. Start ARIS.
2. Log in as **system** user.
3. Click  **Application launcher** >  **Administration**.  **Configuration** is displayed.
4. Click **Evaluations**.
5. In the left-hand panel, click **SCRIPTS > Reports**.
6. Click the category **ARIS Risk and Compliance**.
7. Click  **Import**.
8. Navigate to the directory in which the unzipped data of the **ARIS Accelerators for GDPR-<version number>.<change list number>.zip** (Example: **ARIS Accelerators for GDPR-10.0.10.1.1263081.zip**) is stored.
9. Select the path **GDPR accelerator > Reports > Reports_ARIS Risk and Compliance Manager**.
10. Click the report **Data allocation matrix.arx**.
11. Click **Open**. The **Import files** dialog opens.
12. Enable all scripts in the dialog to import them with the report.
13. Click **Import**.

The GDPR report is imported.

Warning

If you modify the GDPR reports according to your requirements, save them with new names to make sure they are not overwritten by an update.

4.3. Import mapping file

Import the GDPR mapping file that is used by the reports.

Prerequisites

See [Introduction and prerequisites \[3\]](#).

Procedure

1. Start ARIS.
2. Log in as **system** user.
3. Click  **Application launcher** >  **Administration**.  **Configuration** is displayed.

4. Click **Evaluations**.
5. In the left-hand panel, click **SCRIPTS > Common files**. The common files are displayed.
6. If you want to restore the default mapping later, save the **aris2arcm-mapping.xml** as a backup in another location.
7. Enable **aris2arcm-mapping.xml**, then click  **Delete**.
8. Click  **Import**.
9. Navigate to the directory in which the unzipped data of the **ARIS Accelerators for GDPR-<version number>.<change list number>.zip** (Example: **ARIS Accelerators for GDPR-10.0.10.1.1263081.zip**) is stored.
10. Select the path **GDPR accelerator > Reports > Mapping-file**.
11. Click the file **aris2arcm-mapping.xml**.
12. Click **Import**.

The GDPR mapping file is imported.

5. Import GDPR queries

Import the GDPR queries required by the data feeds of GDPR dashboards. Using these GDPR queries, you can output the database items as a data table. The GDPR queries are required for the predefined GDPR dashboards.

Prerequisites

See [Introduction and prerequisites \[3\]](#).


Procedure

1. Start ARIS Architect.
2. Log in as **system** user.
3. Click **ARIS > Administration**. The **Administration** tab opens.
4. Click **Analysis > Queries**.
5. Right-click the **Private** folder.
6. Select **New > Folder**.
7. Enter a name, for example, **GDPR**.
8. Right-click the **GDPR** folder, then select **Import query**. The corresponding dialog opens.
9. Navigate to the directory in which the unzipped data of the **ARIS Accelerators for GDPR-<version number>.<change list number>.zip** (Example: **ARIS Accelerators for GDPR-10.0.10.1.1263081.zip**) is stored.
10. Select the path **<GDPR accelerator>\Dashboards\Octopus queries backup**.
11. Select all **.eqi** files.
12. Click **Import query**.
13. Click **Next**.
14. Select the **GDPR** folder, then click **Finish**.
15. Click **OK**. The queries are imported.
16. In the Explorer tree, click the **GDPR** folder.
17. Select all query files.
18. Right-click the selection, then click **Publish**. The Publish query dialog opens.
19. Click **New group**.
20. Enter the name **GDPR**.
21. Click **OK**.

The GDPR queries are imported and published. The public query folder **GDPR** contains the imported queries.

You can identify queries by their GUID. To check the GUID of a query, move the mouse pointer over the query. When queries are published, duplicates with a new GUID are created in the **Private** folder. To avoid errors, delete the duplicates in the **Private** folder.

Example 1.



6. Create a GDPR impact type in ARIS Risk and Compliance

You can assess a risk in ARIS Risk and Compliance based on various impact types. The GDPR impact type is used for risks related to processing activities. The data protection officer uses the GDPR impact type to decide whether or not a processing activity involves a high risk for a data subject.

Prerequisites

- See [Introduction and prerequisites \[3\]](#).
- You have the **System administrator** role.

Procedure

1. Start ARIS Risk and Compliance.
2. Click  **Administration**. The **General** menu item is displayed initially.
3. Under **System management**, click **Basic settings**.
4. Click **Risk Management**. The form is displayed.
5. Click  **New** in the **Impact types** row. The **Create impact type** dialog opens.
6. Select **No template (create new impact type)**.
7. Click **OK**. The **Impact type** form opens.
8. Enter a name for the impact type, for example, **GDPR impact**.
9. Assign extent and frequency values for the qualitative assessment () or create new ones (.
10. If you want risk scores to be calculated, add weightings to the values.
11. Click a cell in the matrix to specify the color in which the impact type is to be displayed in the risk matrix (qualitative).
12. Click **OK**.
13. Edit the optional fields. Enter a description, for example.
14. Click  **Save**.

The GDPR impact type is created.

Example 2.

Name *	GDPR impact									
Description	This risk assessment impact type describes whether or not a processing activity involves a risk for a data subject.									
Predefined assessment type	Qualitative									
Include reduced values	☐ Yes ☒ No									
Qualitative risk appetite settings										
Extent *	☐ ☐ Low 5.00 ☐ High 100.00									
Frequency *	☐ ☐ Low 0.00 ☐ High 1.00									
Risk matrix colors *	Click the risk matrix below to specify the colors to be used for this impact type. <table><tr><td>High</td><td></td><td></td></tr><tr><td>Low</td><td></td><td></td></tr><tr><td></td><td>Low</td><td>High</td></tr></table>	High			Low				Low	High
High										
Low										
	Low	High								

7. Install ARIS accelerators

ARIS Accelerators for GDPR include GDPR dashboards and an enhanced version of the ARIS **classic configuration** set for easy and standardized gathering of data on processing activities. By using the enhanced ARIS fact sheets for GDPR, multiple individuals in an organization can easily contribute to the GDPR project. The dashboards GDPR dashboards provide:

- A transparent overview of the processing activities of each organizational unit.
- The status and the results of GDPR surveys and GDPR risk assessments.
- The issues that need to be addressed according to the results of the data protection impact assessment.

The enhanced version of the ARIS classic configuration set is delivered as a complete configuration set and, additionally, as a delta file. You can use the delta file if you use an individual configuration of ARIS into which you want to merge the GDPR enhancements.

7.1. Provide the full classicGDPR configuration

Provide the **classicGDPR** configuration set for ARIS. The **classicGDPR** configuration set is an enhancement of the standard classic configuration.

Prerequisites

- See [Introduction and prerequisites \[3\]](#).
- In the configuration of ARIS, an item type can be based on ARIS object types with specific symbols. Example: The **Control** item type in ARIS is a **Function** object type with a **Control** symbol in ARIS. All object type/symbol type combinations that are to be included in an ARIS item type must be specified individually. Therefore, manually add all symbols that are to be identified as control or function to the configuration XML including individually created symbols.

Procedure

1. Start ARIS.
2. Log in as **system** user.
3. Click **Application launcher** >  **Administration**.
4. Click **Publication settings** > **Manage configuration sets**.
5. Click **Restore**. The file selection dialog opens.
6. Navigate to the directory in which the unzipped data of the **ARIS Accelerators for GDPR-<version number>.<change list number>.zip** (Example: **ARIS Accelerators for GDPR-10.0.10.1.1263081.zip**) is stored.
7. Select the path **<GDPR accelerator>\Configuration sets\classicGDPR upload**.
8. Click the **classicGDPR.zip** file.
9. Click **Open**. The **File upload** dialog closes. The **classicGDPR** configuration set is available. If not, reload the current changes:
 - a. Open a new browser tab.
 - b. enter **<server name>:<port number>/<tenant>/reloadConfig**, for example **https://connectserver.eu.comp:1080/#default/reloadConfig**.

- c. Click **Reload and validate configuration files**.
 - d. After the reload and validation are completed, close the browser tab.
The **classicGDPR** configuration set is available.
10. Activate the configuration set.
 - a. Move the mouse pointer over the restored configuration set.
 - b. Click **✓ Activate**. Your configuration set is marked as **(active)**.

The **classicGDPR** configuration set is imported and activated.

Now you can add a modification set for the GDPR dashboards and [provide the GDPR dashboards \[18\]](#).

7.2. Provide a merged GDPR configuration


You can use an existing ARIS configuration and add the relevant GDPR changes with delta files, instead of [restoring the classicGDPR configuration set \[11\]](#).

Prerequisites


- See [Introduction and prerequisites \[3\]](#).
- In the configuration of ARIS, an item type can be based on ARIS object types with specific symbols. Example: The Control item type in ARIS is a Function object type with a Control symbol in ARIS. All object type/symbol type combinations that are to be included in an ARIS item type must be specified individually. Therefore, manually add all symbols that are to be identified as control or function to the configuration XML including individually created symbols.

Procedure

1. Navigate to the folder <ARIS installation folder>\<version>\server\bin\work\work_copernicus_m\base\webapps\ROOT\WEB-INF\config, where your individual ARIS configuration is stored, for example, myConfiguration. Example:



2. Copy the folder of the individual configuration in use, for example, the myConfiguration folder to the location where you want to prepare it for the merge, for example, your desktop.
3. Rename the copied folder, for example, myConfigurationGDPR, to ensure that the names of the configuration sets are unique.
4. Create a new folder with the name deltas in the folder that you want to use for the merge. You must use exactly this name to make sure that the merge works. Example:




5. Navigate to the directory in which the unzipped data of the ARIS Accelerators for GDPR-<version number>.<change list number>.zip (Example: ARIS Accelerators for GDPR-10.0.10.1.1263081.zip) is stored.
6. Select the path <GDPR accelerator>\Configuration sets\cop_delta_classicGDPR\deltas.
7. Copy the delta-classicGDPR folder to the clipboard.
8. Paste the delta-classicGDPR folder from the clipboard into the deltas folder, created in step 4.
9. Navigate to the directory \deltaMapping in your folder that you want to use for the merge, for example, myConfigurationGDPR\deltaMapping.
10. Edit the deltaMapping.xml file.
 - a. Enable the <mappingMode> parameter. By default, this parameter is disabled.
 - b. In the <mapping> section, enter the value delta-classicGDPR as the deltaName.
 - c. Under <database> enter all database names for which the merged modification set is to be used, for example, <database>United Motor Group</database>.
 - d. Save your changes.

Example:

```
...
<mappingMode>enabled</mappingMode>
<mappings>
  <mapping deltaName="delta-classicGDPR">
    <databases>
      <database>United Motor Group</database>
    </databases>
  </mapping>
</mappings>
```

11. Create a ZIP file containing the folder that you want to use for the merge, for example, myConfigurationGDPR and the deltas folder. The relevant GDPR changes are added to the existing configuration and available as ZIP file. Example:



12. Restore this configuration set.
 - a. Start ARIS.
 - b. Log in as system user.
 - c. Click Application launcher > Administration.
 - d. Click Publication settings > Manage configuration sets.
 - e. Click Restore. The file selection dialog opens.
 - f. Navigate to the Zip file you previously created and select the file.

- g. Click Open. The File upload dialog closes.
The merged configuration set is available.
13. Activate the configuration set.
 - a. Move the mouse pointer over the restored configuration set.
 - b. Click  Activate. Your configuration set is marked as (active).

The merged GDPR configuration set for ARIS is created and activated.

Now you can add a modification set for the GDPR dashboards and [provide the GDPR dashboards \[18\]](#).

7.3. Activate the GDPR configuration including the dashboard modification set

After you provided a configuration set in ARIS, create and activate a modification set to make the GDPR dashboards available in ARIS.

Prerequisites

- See [Introduction and prerequisites \[3\]](#).
- The [full classicGDPR configuration \[13\]](#) or a [merged GDPR configuration \[14\]](#) is available.

Procedure

1. Start ARIS.
2. Log in as system user.
3. Click  Application launcher >



[\[13\]](#) Administration.

4. Click Publication settings > Manage configuration sets.
5. Ensure the classicGDPR configuration set or the merged GDPR configuration set is marked as (active).
6. Click Create in the Configuration and modification sets area. The Create modification set dialog opens.
7. Enter the name for the modification set, for example, classicGDPR_dashboards.
8. Select the classicGDPR or the [merged GDPR \[14\]](#) template.
9. Click Create. The modification set is created. It contains all elements from the selected template.
10. Move the mouse pointer over the newly created modification set, for example, classicGDPR_dashboards.
11. Click  Activate. The classicGDPR_dashboards modification set is marked as (active).

The classicGDPR_dashboards modification set is activated.

Now you can [import the GDPR content type \[17\]](#).

7.4. Import GDPR content type

After you activated the modification set in ARIS, import and activate the GDPR content type set to make the GDPR content available.

Note

The following description is based on a write-protected **Default set**. If you have an activated customized content set, disable the **Active for 'Published Content'** option to provide GDPR functionality.

Procedure

1. Start ARIS.
2. Log in as **system** user.
3. Click  **Application launcher** >  **Administration**.
4. Click **Publication settings** > **Content type configuration**.
5. Click **Go to content type sets**.
6. Click **Import** > **Import from file**. The dialog is displayed.
7. Click **Select file**.
8. Navigate to the directory in which the unzipped data of the **ARIS Accelerators for GDPR-<version number>.<change list number>.zip** (Example: **ARIS Accelerators for GDPR-10.0.10.1.1263081.zip**) is stored.
9. Select the path **<GDPR accelerator>\Content configuration**.
10. Click the **classicGDPR.cce** file.
11. Click **Open**. The **File upload** dialog closes.
12. In the **Import from file** dialog, click **Import**. The dialog closes.
13. Activate ☒ the imported content type set.
14. Hover over the activated content type set, then enable **Active for modeling** and **Active for 'Published content'**.

Now you can [import the GDPR dashboards \[17\]](#).

7.5. Import GDPR dashboards

Import GDPR dashboards into the ARIS repository.

Prerequisites

See [Introduction and prerequisites \[3\]](#).

Procedure

1. Start ARIS.
2. Log in as **system** user.
3. Click  **Application launcher** >  **Dashboards & data feeds**. The dashboards are displayed.
4. Click  **Import**. The corresponding dialog opens.
5. Click **Select import file**.

6. Navigate to the directory in which the unzipped data of the **ARIS Accelerators for GDPR-<version number>.<change list number>.zip** (Example: **ARIS Accelerators for GDPR-10.0.10.1.1263081.zip**) is stored.
7. Select the path **<GDPR accelerator>\Dashboards\AWARE export**.
8. Click any file, for example, **GDPR+-+Overview.zip**. The file is in **ZIP** format and contains one dashboard and the relevant data feeds. The file also includes the dashboard permissions.
9. Click **Open**. The **File upload** dialog closes.
10. To replace the dashboards available in the repository, enable **Overwrite if already exists**.
11. To import the dashboard permissions contained in the dashboard file, enable **Import privileges**. This option is activated by default.
12. Click **Import**.
13. Repeat steps 9 - 13 for all other dashboard files.
Note: If you import all GDPR dashboards, an **Import result** dialog is displayed, warning you that imported data feeds already exist. The same data feeds are partly contained in multiple dashboards. You can close this dialog because this is not a problem.

The **GDPR** dashboards and the related data feeds are imported. The dashboards and data feeds are displayed in **☰ Application launcher >  Dashboards & Data feeds**.

GDPR dashboards retrieve data from the ARIS database by ARIS queries. The queries use English as default database language. Some GDPR attributes are language-dependent. Especially, the attributes used to identify processing activities. If you use a different ARIS database language than English, you must change the language in the data feed to avoid errors. To do so, open the **GDPR - dbLanguage** data feed, and specify the same language you selected for the ARIS database for the **Default value** and **Preview value** parameter in the **Text user input** operator. For detailed information, refer to the **Data feed editor** help.

7.6. Provide the GDPR dashboards

Activate the GDPR dashboards for ARIS.

Prerequisites

- See [Introduction and prerequisites \[3\]](#).
- Your ARIS server is enabled for ARIS Aware, that is, the **dashboarding** runnable is activated and running. For detailed information, refer to the **ARIS server Installation** in the **Technical help** of ARIS or to the **ARIS server Installation.pdf** guide.
- A valid server license for **Aware (YCSAW) ARIS Server** extension pack is available in ARIS Administration.
- The **classicGDPR_dashboards** modification set is [available and activated \[16\]](#).
- The **GDPR content type set** is [imported and activated \[17\]](#).

Procedure

1. Start ARIS.
2. Log in as **system** user.
3. Click **☰ Application launcher >  Administration**.
4. Click **Publication settings > Manage configuration sets**. The **classicGDPR_dashboards** modification set is marked as **(active)**.
5. Move the mouse pointer over the **classicGDPR_dashboards** modification set and click  **Edit**. The **Define modification set** page opens.

6. Click **Fact sheets**. All items available for fact sheets are displayed.
7. Navigate to the **orgUnit** item.
8. Move the mouse pointer over the **orgUnit** item and click  **Edit**. The **Subordinate sheets (content)** page opens. The items in the different areas are displayed.
9. Move the mouse pointer over **Dashboards** and click  **Edit**. The **Dashboards** page opens.
10. Click **Add**. The **Add Dashboard** dialog opens.
11. All imported GDPR dashboards are [displayed \[17\]](#).
12. Copy the name of the relevant dashboard, for example, **GDPR – Overview**.
13. Paste **GDPR – Overview** from the clipboard to the **Name** field of the relevant languages.
14. Enable the databases that are to display the dashboard.
15. Ensure the dashboard that is to be added to the list of dashboards is still selected, for example, **GDPR – Overview**.
16. Click **Add**.
17. Repeat steps 10 - 15 for the other dashboards (**GDPR – Workflow**, **GDPR - DPIA Answers (organizational units)**, **GDPR - DPIA Issues (organizational units)**).
18. Click  **Back** until **Define modification set** is displayed.
19. Navigate to the **procActivityDetails** item.
20. Move the mouse pointer over the **procActivityDetails** item and click  **Edit**. The **Subordinate sheets (content)** page opens. The items in the different areas are displayed.
21. Click **Add**.
22. Select **Dashboards** from the list of Subordinate sheets.
23. Click **Add**.
24. Move the mouse pointer over **Dashboards** and click  **Edit**. The **Dashboards** page opens.
25. Repeat steps 10 – 15 for the dashboards **GDPR – DPIA Answers (processing activities)** and **GDPR – DPIA Issues (processing activities)**.
26. Click  **Back** until **Configuration and modification sets** is displayed.

The GDPR dashboards are available. For detailed information on the administration of dashboards, refer to the chapter **Manage dashboards** in the ARIS help.

7.7. Create a GDPR Dashboard user group in ARIS

Create a new user group for GDPR Dashboard users. You can assign dashboard access privileges through the group or directly to the user. The type of assignment is displayed in user management.

Prerequisites

See [Introduction and prerequisites \[3\]](#).

Procedure

1. Start ARIS.
2. Log in as **system** user.
3. Click  **Application launcher** >  **Administration**.
4. Click  **User management** and select **User groups**. The list of user groups opens.

5. Click  **Add user group**.
6. Enter the name **GDPR Dashboard**. You must use exactly this name, to make sure the dashboards are displayed to the assigned users. If a user group that already exists in the LDAP system is created, the user group names must match. This is the only way to assign an existing ARIS user group with the LDAP user group.
7. Enter an optional description.
8. Click **Save**. The user group is created.
9. Click **Associated users**.
10. Click  **Edit assignment**. The **Associate users** dialog opens.
11. Under **Available users**, enable all users you want to assign, then click  **Add**. To assign all available users, click  **Add all**. The users are transferred to **Associated users**.
12. To remove users again, enable them under **Associated users** and click  **Remove**. To remove all users, click  **Remove all**.

The **GDPR Dashboard** user group is created with the relevant users. The associated users can now use the GDPR dashboards.

7.8. Define an alias URL for the GDPR dashboards

Defining an alias URL for the GDPR dashboards enables you to shorten the link used in dashboards and data feeds. If you use an alias, you do not have to enter the entire URL, but only the path to the location where the data is stored. The alias URLs are required by the GDPR dashboards.

Prerequisites

- See [Introduction and prerequisites \[3\]](#).
- Your ARIS server is enabled for the dashboard editor in ARIS that is, the **dashboarding** runnable is activated and running (see the **Technical Help** of ARIS: **Installation** or **Configuration > Command-line tools > ARIS Cloud Controller**).
- A valid server license for **Aware (YCSAW) ARIS Server** extension pack is available in ARIS Administration.

Procedure

1. Start ARIS.
2. Log in as **system** user.
3. Click  **Application launcher** >  **Administration**.
4. Click **Dashboards**.
5. Click  **Add configuration**. The **Add property** dialog opens.
6. Enter the following properties:
 - a. Name: **ARIS**
 - b. You must use exactly this name, to make sure the dashboards are displayed to the assigned users.
 - c. Protocol: **http**
 - d. Host: <name of your server>
 - e. Port: <load balancer port>
 - f. User: **system**

- g. Password: <password of the **system** user>
- 7. Click **Save**.
- 8. Repeat these steps for the **ARCM** alias URL. You must use exactly this name, to make sure the dashboards are displayed to the assigned users. Use the same properties.

The alias URLs for the GDPR dashboards **ARIS** and **ARCM** are defined.

All ARIS Accelerators for GDPR are now installed and ready to use.

Example 3.

URL alias 			
Name	URL	Client	User
ARIS	https://aris:60		system
ARCM	https://arcm:60		system

8. Support and legal information

This section provides you with some general information regarding product support and legal aspects.

8.1. Documentation scope

The information provided describes the settings and features as they were at the time of publishing. Since documentation and software are subject to different production cycles, the description of settings and features may differ from actual settings and features. Information about discrepancies is provided in the Release Notes that accompany the product. Please read the Release Notes and take the information into account when installing, setting up, and using the product.

If you want to install technical and/or business system functions without using the consulting services provided by SAG ARIS GmbH, you require extensive knowledge of the system to be installed, its intended purpose, the target systems, and their various dependencies. Due to the number of platforms and interdependent hardware and software configurations, we can describe only specific installations. It is not possible to document all settings and dependencies.

When you combine various technologies, please observe the manufacturers' instructions, particularly announcements concerning releases on their Internet pages. We cannot guarantee proper functioning and installation of approved third-party systems and do not support them. Always follow the instructions provided in the installation manuals of the relevant manufacturers. If you experience difficulties, please contact the relevant manufacturer.

If you need help installing third-party systems, contact your local [ARIS sales organization](#). Please note that this type of manufacturer-specific or customer-specific customization is not covered by the standard ARIS software maintenance agreement and can be performed only on special request and agreement.

8.2. Support

Product support

We provide support for ARIS products to all customers with a valid support contract.

Information on product version availability and support, as well as sustained support dates, is available at [ARIS Community](#).

Contact our Global Support services at ARIS Community to [raise and update support incidents](#), or [post ideas and feature requests](#).

Community

Register with [ARIS Community](#) to download products, updates and fixes, find expert information, and interact with other users.

Documentation

For information on how to use and activate products and for other technical support questions, visit the [ARIS Documentation website](#).

If you want to give feedback on any documentation topic, write to documentation@aris.com.

8.3. Legal notices

This document applies to ARIS Version 10 and to all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2010-2026 SAG ARIS GmbH, Saarbrücken, Germany and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all SAG ARIS GmbH product names are either trademarks or registered trademarks of Software GmbH and/or SAG ARIS GmbH and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software GmbH Products / Copyright and Trademark Notices of Software GmbH Products". These documents are part of the product documentation, located at <https://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

Use, reproduction, transfer, publication or disclosure is prohibited except as specifically provided for in your License Agreement with SAG ARIS GmbH.