



ARIS PROCESS MINING

ARIS Process Mining 10

August 2026

Table of Contents

1. Integrate ARIS Process Mining and ARIS	3
1.1. Integration of ARIS Basic and Advanced	3
1.1.1. Prerequisites	4
1.1.2. Configure the integration	4
1.1.3. Configure the transfer of ARIS users to ARIS Process Mining	12
1.1.3.1. Enable identity management service	12
1.1.3.2. Configure identity management	13
1.1.4. Transfer users	15
1.2. Integration of ARIS Enterprise	16
1.2.1. Prerequisites	17
1.2.2. Configure the integration	17
1.2.3. Configure the transfer of ARIS users to ARIS Process Mining	24
1.2.3.1. Enable the identity management service	25
1.2.3.2. Configure the identity management service	25
1.2.4. Transfer ARIS users to ARIS Process Mining	27
1.2.5. Configure login to ARIS using ARIS Process Mining credentials	28
1.2.5.1. Configure login with ARIS Process Mining credentials	29
2. Support and legal information	33
2.1. Documentation scope	33
2.2. Data protection	33
2.3. Support	33
2.4. Legal notices	34

1. Integrate ARIS Process Mining and ARIS

The integration of ARIS Process Mining and ARIS provides you with additional options and functionalities. For example, you can transfer process variants from ARIS Process Mining to ARIS, perform a process compliance check, or you can switch from one application to another.

The features provided to you and the procedures for configuring the integration depend on the ARIS edition - **Basic**, **Advanced**, or **Enterprise** - that you are using.

ARIS Basic and Advanced

If you are using ARIS **Basic** or **Advanced**, follow the configuration steps described in the chapter [Integration of ARIS Basic and Advanced \[3\]](#).

ARIS Enterprise

If you are using ARIS **Enterprise**, follow the configuration steps described in the chapter [Integration of ARIS Enterprise \[16\]](#).

Note

If you use ARIS and ARIS Process Mining in a combined deployment, you do not need to integrate ARIS and ARIS Process Mining separately.

1.1. Integration of ARIS Basic and Advanced

The integration of ARIS **Basic** or **Advanced** provides you with the following options and functionalities.

For the integration of ARIS Process Mining and ARIS, we recommend that you enable and configure at least the following functions.

- Link to open ARIS from ARIS Process Mining
- Link to open ARIS Process Mining from ARIS
- Transfer of process variants to ARIS
For details on transferring process variants, see the chapter Transfer process variants to ARIS.
- Process conformance analysis
For details on performing a conformance analysis, see the chapter Analyze process conformance.

The chapter [Configure integration \[4\]](#) describes the configuration steps you need to perform in ARIS Process Mining and ARIS.

In addition, you can optionally extend the integration by configuring the following feature.

- [Transfer existing ARIS users to ARIS Process Mining \[15\]](#)

1.1.1. Prerequisites

Prerequisites for ARIS Process Mining

You have the **User admin** function privilege.

You have the **Data admin** function privilege.

Prerequisites for ARIS Basic and ARIS Advanced

You have the **Project room management** privilege.

Note

To be able to use the variants transfer from ARIS Process Mining to ARIS, a user account with the same name and the email address as user name must be available in ARIS Process Mining and ARIS.

1.1.2. Configure the integration

To configure the integration of ARIS Process Mining and ARIS, open both applications in parallel in separate web browser tabs. For some settings, you need to copy data from one application to the other.

Open the ARIS integration page in ARIS Process Mining

1. Open ARIS Process Mining.
2. Click the  **Navigation menu** icon >  **Administration** in the program header.
3. Click **ARIS integration** in the **Administration** panel.

The **ARIS integration** page opens.

The screenshot shows the 'ARIS integration' configuration page in the ARIS Process Mining Administration interface. The left sidebar contains a navigation menu with 'Administration' (Overview, Users, Install solution) and 'SYSTEM' (ARIS integration, System integration, Identity Management). The main content area is titled 'ARIS integration' and includes a toggle for 'Enable ARIS integration' (currently Off). Below this, the 'Configure your ARIS integration' section allows selecting an ARIS edition (ARIS Advanced/Basic or ARIS Enterprise) and entering a 'Project room name'. Further options include 'Include ARIS Portal into navigation menu' (with a checkbox for 'Include into navigation menu'), 'Transfer process variants to ARIS Repository' (with a checkbox for 'Enable variants export'), and 'Receive reference process for Conformance Checking' (with a link to 'Create ARIS system integration'). 'Discard' and 'Apply' buttons are at the bottom right.

Connect ARIS Process Mining to ARIS and enable the link to ARIS

Specify the ARIS project room that you want to connect to and enable the link to ARIS that allows you to jump from ARIS Process Mining to ARIS.

1. Enable the **Enable ARIS integration** option.
2. Under **Configure your ARIS integration**, enable **ARIS Advanced/Basic**.
Enter the project room name you want to connect to, for example, my_ARIS_ProjectRoom.
3. Enable the **Include ARIS in the navigation menu** option.
4. Click **Apply**.


The link to ARIS is enabled.

Keep the **ARIS integration** page open.

To display the **ARIS** link in the **Navigation menu** (⋮), you must reload the ARIS Process Mining tab. It may take a few minutes before the link is available in the menu.

Example 1.

Connect ARIS Advanced or Basic and enable the **ARIS Portal** link.



The screenshot shows the ARIS Process Mining Administration interface. The top header is dark grey with the ARIS logo and the text 'ARIS Process Mining | Administration'. The left sidebar is light grey and contains a menu with 'Administration' (expanded) and 'SYSTEM'. Under 'Administration', there are links for 'Overview', 'Users', and 'Install solution'. Under 'SYSTEM', there are links for 'ARIS integration' (highlighted), 'System integration', and 'Identity Management'. The main content area is white and titled 'ARIS integration'. It contains the following sections: 1. 'Integrate with other ARIS products' with a description and a 'Learn more' link. 2. 'Configure your ARIS integration' with a description and two radio button options: 'ARIS Advanced/Basic' (selected) and 'ARIS Enterprise'. 3. A text input field for 'Project room name' with the value 'my_ARIS_ProjectRoom'. 4. 'Include ARIS Portal into navigation menu' with a description and a checked checkbox 'Include into navigation menu'.

Open the ARIS Process Mining integration page in ARIS

1. Open ARIS in a separate tab of your web browser.
2. Click **Application launcher** > **Administration**.
3. Click **Process Mining**.

The **ARIS Process Mining integration** page opens.

ARIS Process Mining integration
Integrate with your ARIS Process Mining to exchange models.

Configure your ARIS Process Mining integration
Specify your project room name of your subscription.

Project room name

Add ARIS Process Mining to application launcher
Allow users to switch to your ARIS Process Mining project room via application launcher.

☐ Include into application launcher

Transfer reference processes for Conformance Check
Allow users to transfer a BPMN model via ARIS Designer to ARIS Process Mining.

☐ Enable transfer of reference process

This requires the configuration of ARIS system integration in ARIS Process Mining.

Receive process data from ARIS Process Mining
Allow users to import process data from ARIS Process Mining.

☐ Enable import of process data

Credentials and URL endpoint to configure ARIS authorization service in ARIS Process Mining.

Identity Management Service (SCIM)
Allow SCIM 2.0 (System for Cross-domain identity management) client to manage the system user identities.

☐ Enable identity management service

Save **Cancel**

Connect ARIS to ARIS Process Mining and enable the link to ARIS Process Mining

Specify the ARIS Process Mining project room that you want to connect to and enable the link to ARIS Process Mining that allows you to jump from ARIS to ARIS Process Mining.

1. Under **Configure your ARIS Process Mining integration**, enter the name of the ARIS Process Mining project room you want to connect to, for example, my_ProcessMining_ProjectRoom.
2. Under **Add ARIS Process Mining to application launcher**, enable the **Add to application launcher** option. Enter the **ARIS Process Mining URL**, for example, <https://mc.ariscloud.com>.
3. Click **Save**.

The link to ARIS Process Mining is enabled.

To display the link in the **Application launcher** menu, you need to reload the ARIS tab. It may take a few minutes before the link is available in the menu.

Example 2.

Connect ARIS Process Mining and enable the ARIS Process Mining link in ARIS.


ARIS


 Manage settings

User management
 Publication settings
 Process mining
 Licenses & Subscription

ARIS Process Mining integration

Integrate with your ARIS Process Mining to exchange models.

Configure your ARIS Process Mining integration

Specify your project room name of your subscription.

Project room name

Add ARIS Process Mining to application launcher

Allow users to switch to your ARIS Process Mining project room via application launcher.

☒ Include into application launcher

ARIS Process Mining URL

Enable and configure the variant transfer

You must first enable the import of process data in ARIS before you can configure the variant transfer in ARIS Process Mining.

- Under **Receive process data from ARIS Process Mining**, enable the **Enable import of process data** option.

- Enter the **Callback URL** for your ARIS Process Mining project room.

`https://<host name>/umc/rest/oauth/callback?tenant=<tenant ID>&provider=umc`

Replace **<host name>** with the host name of the ARIS Process Mining installation. Default host name is **processmining.ariscloud.com**. Replace **<tenant ID>** with the name of the ARIS Process Mining project room for which you want to enable data transfer, for example, `my_ProcessMining_ProjectRoom`.

Example

`https://processmining.ariscloud.com/umc/rest/oauth/callback?tenant=my_ProcessMining_ProjectRoom&provider=umc`

- Click **Save**.

A client ID, client secret, and well-known URL are provided. You need the access data in the next step to configure the process transfer in ARIS Process Mining. Copy the data to the clipboard and paste it into the corresponding fields on the **ARIS integration** page, as described in step 6 below.

Example

Receive process data from ARIS Process Mining

Allow users to import process data from ARIS Process Mining.

☒ Enable import of process data

Credentials and URL endpoint to configure ARIS authorization service in ARIS Process Mining.

Callback URL

<https://processmining.ariscloud.com/umc/rest/oauth/callback...>

Client ID

|xxxxxxxxxxxxxxxxxxxxxxxxxxxx-030cc9b1ae08



Client secret

|xxxxxxxxxxxxxxxxxxxxxxxx-924a-a805dbad0dc2



Well-known URL

https://mc.ariscloud.com/api/oauth/region/my_ARIS_ProjectR



4. Open the ARIS Process Mining tab with the **ARIS integration** page.
5. Under **Transfer process variants to ARIS Repository**, enable the **Enable export of variants** option.
6. Copy the client ID, client secret, and well-known URL provided on the **ARIS Process Mining integration** page and insert them in the corresponding input fields.

Example

Transfer process variants to ARIS Repository

Allow users to transfer selected process variants into your ARIS Repository This requires the configuration of your ARIS authentication

☒ Enable variants export

Configure your ARIS authorization service

Provides the credentials and URL endpoint to connect the ARIS authorization service

[Where do I get Client ID, Client Secret and URL endpoints?](#)

Client ID

xxxxxxxxxxxxxxxxxxxxxxxxxxxx-030cc9b1ae08

Client Secret

Well known URL (for self configuration)

https://mc.ariscloud.com/api/oauth/region/my_ARIS_ProjectRoom

☐ Configure endpoints manually

7. Click **Apply**.

The variants transfer is enabled and configured.

Enable and configure process transfer for conformance analysis

You must first create an ARIS system integration in ARIS Process Mining before you can configure the process transfer in ARIS.

Prerequisite

The link to ARIS Process Mining must be enabled, as shown above.

1. Click  **Create ARIS system integration** at the bottom of the **ARIS integration** page. The corresponding dialog opens.
2. Enter a name, for example, ARIS ConfCheck, and an optional description.
3. Ensure that **Client credentials** is selected as **Grant type (OAuth)**.
4. Click **Add**. The **ARIS Connect access data** dialog opens.

The dialog provides the client ID and secret. Keep the dialog open. You need the access data in the next step to configure the process transfer in ARIS. Copy the data to the clipboard and paste it into the corresponding fields on the **ARIS Process Mining integration** page, as described in step 8 below.

Example

Access data of the ARIS system integration.

ARIS ConfCheck access data


How to connect your ARIS product to the integration end-point?
 Learn how to connect your ARIS Cloud or ARIS Enterprise installation.

Show help

Client ID and secret
 The client ID and secret are configured in ARIS for authentication to the ARIS Process Mining cloud.

Client ID

fcdbb76c-57b3-4fdf-9bc3-2cc5f5e88929

Copy to clipboard

Secret key

0966b08a-8975-41d1-918d-b58adeb40832

Copy to clipboard

Done

When you click **Done**, the dialog closes and the ARIS system integration is created and listed in the **System integration** component with the name you specified. You can ignore the status of the system integration displayed in the list.

- Open the ARIS tab with the **ARIS Process Mining integration** page.
- Ensure that the link to ARIS Process Mining is enabled, as shown above.
- Under **Transfer reference process for Conformance Check**, enable the **Enable transfer of reference process** option.
- Copy the client ID and secret provided from the **ARIS system integration** you created in ARIS Process Mining, as described in step 4. Insert the data in the corresponding input fields.

Transfer reference processes for Conformance Check

Allow users to transfer a BPMN model via ARIS Designer to ARIS Process Mining.

☒ Enable transfer of reference process

This requires the configuration of ARIS system integration in ARIS Process Mining.

Client ID

fcdbb76c-57b3-4fdf-9bc3-2cc5f5e88929

Client secret


.....

Click **Save**.

The process transfer for conformance analysis is enabled and configured.

You can now transfer BPMN models from ARIS to ARIS Process Mining. This feature enables you to perform a conformance check using ARIS Process Mining.

The  **Transfer as reference process to ARIS Process Mining** button is available in the ARIS Model designer. Open a BPMN model, open the **Model** tab, click the  **Conformance check** button ->  **Transfer as reference process to ARIS Process Mining**.



1.1.3. Configure the transfer of ARIS users to ARIS Process Mining

You can transfer user data, such as first name, last name, or e-mail address, from ARIS to ARIS Process Mining. You can also remove transferred users from ARIS Process Mining.

For details on transferring and deleting ARIS users, see the chapter [Transfer ARIS users to ARIS Process Mining. \[15\]](#)

To configure the user transfer, perform the following steps.

- [Enable identity management service in ARIS Process Mining. \[25\]](#)
- [Configure identity management service in ARIS. \[25\]](#)

1.1.3.1. Enable identity management service

Enable the identity management service (SCIM) in ARIS Process Mining.

Procedure


1. Click the  **Navigation menu** icon >  **Administration** in the program header.
2. Click **Identity management** in the **Administration** panel.
3. Enable the **Enable identity management service** option.

The identity management service is enabled. A token and a URL to the SCIM Rest API end point are displayed in the corresponding **Token** and **URL** fields.

You need the data to configure the identity management service in ARIS. You can copy the provided token and URL to the clipboard and paste them in corresponding fields on the **ARIS Process Mining integration page**. See the next chapter [Configure identity management \[13\]](#).

Example 3.

Enable identity management in ARIS Process Mining.



1.1.3.2. Configure identity management

Configure the identity management in ARIS.

Prerequisite

You have the **User administrator** function privilege.

Procedure

1. Open ARIS in a separate tab of your web browser.
2. Click **Application launcher** > **Administration**. **Configuration** is displayed.
3. Click **Process Mining**.
4. Under **Configure your ARIS Process Mining integration**, enter the name of the ARIS Process Mining project room you want to connect to, for example, my_ProcessMining_ProjectRoom.
5. Under **Identity Management Service (SCIM)**, enable the **Enable identity management service** option. Enter the **SCIM endpoint URL** and **Bearer client token** in the corresponding input fields. The data is provided on the **ARIS integration** page where [you have enabled the identity management service \[12\]](#).
6. Click **Save**.

You have configured the identity management.

You can now [transfer users from ARIS to ARIS Process Mining \[15\]](#).

Example 4.

Configure identity management in ARIS.

ARIS Process Mining integration

Integrate with your ARIS Process Mining to exchange models.

Configure your ARIS Process Mining integration

Specify your project room name of your subscription.

Project room name

Add ARIS Process Mining to application launcher

Allow users to switch to your ARIS Process Mining project room via application launcher.

☐ Include into application launcher

Transfer reference processes for Conformance Check

Allow users to transfer a BPMN model via ARIS Designer to ARIS Process Mining.

☐ Enable transfer of reference process

This requires the configuration of ARIS system integration in ARIS Process Mining.

Receive process data from ARIS Process Mining

Allow users to import process data from ARIS Process Mining.

☐ Enable import of process data

Credentials and URL endpoint to configure ARIS authorization service in ARIS Process Mining.

Identity Management Service (SCIM)

Allow SCIM 2.0 (System for Cross-domain identity management) client to manage the system user identities.

☒ Enable identity management service

SCIM service endpoint URL

Bearer client token

Save

Cancel

1.1.4. Transfer users

You can transfer existing users from ARIS to ARIS Process Mining and you can also remove already transferred users from ARIS Process Mining.

Prerequisite

[The identity management service is enabled in ARIS Process Mining. \[25\]](#)

[The identity management service is configured in ARIS. \[25\]](#)

Procedure

1. Open ARIS in a separate tab of your web browser.
2. Click  **Application launcher** >  **Administration**.
3. Click **User management**.
4. Click **Provision users to ARIS Process Mining**. The corresponding dialog opens.
5. Select the users you want to transfer to ARIS Process Mining.
6. Click **+ Add users**.
7. If you want to remove the selected users from ARIS Process Mining, click **Delete users**.

The selected users are transferred to ARIS Process Mining or removed from ARIS Process Mining.

After a user is transferred to ARIS Process Mining, the user will be notified by e-mail that he can log in to ARIS Process Mining.

Note

The transferred users are created in ARIS Process Mining without the required function privileges and user roles. To enable users to log in, you must assign them the necessary permissions and user roles. For details, see the chapter Manage users.

Example 5.

Transfer existing users from ARIS to ARIS Process Mining.

Provision users to ARIS Process Mining

To add the provisioned users to ARIS Process Mining, please select them in the user table.

🔍 user

☐ user1@mycompany.com

☒ user2@mycompany.com

☐ user3@mycompany.com

☒ user4@mycompany.com

☒ user5@mycompany.com

☐ user6@mycompany.com

+ Add users

🗑 Delete users

Cancel

1.2. Integration of ARIS Enterprise

The integration of ARIS Enterprise gives you the following options and functions.

For the integration of ARIS Process Mining and ARIS, we recommend that you configure at least the following features.

- Link to open ARIS from ARIS Process Mining
- Link to open ARIS Process Mining from ARIS
- Transfer of process variants to ARIS
For details on transferring process variants, see the chapter [Transfer process variants to ARIS](#).
- Process conformance analysis
For details on performing a conformance analysis, see the chapter [Analyze process conformance](#).

The [Configure integration \[17\]](#) chapter describes the configuration steps you need to perform in ARIS Process Mining and ARIS.

In addition, you can optionally extend the integration by configuring the following features.

- [Log in to ARIS using ARIS Process Mining credentials \[28\]](#)
- [Transfer ARIS users to ARIS Process Mining \[27\]](#)

1.2.1. Prerequisites

Prerequisites for ARIS Process Mining

You have the **User admin** function privilege.

You have the **Data admin** function privilege.

Prerequisites for ARIS

You have the **User administrator** function privilege.

You have the **Technical configuration administrator** function privilege.

Note

To be able to use the variants transfer from ARIS Process Mining to ARIS, a user account with the same name and the email address as user name must be available in ARIS Process Mining and ARIS.

1.2.2. Configure the integration

To configure the integration of ARIS Process Mining and ARIS, open both applications in parallel in separate web browser tabs. For some settings, you must copy data from one application to the other.

Procedure

Open the ARIS integration page in ARIS Process Mining

1. Open ARIS Process Mining.
2. Click the  **Navigation menu** icon >  **Administration** in the program header.
3. Click **ARIS integration** in the **Administration** panel.

The **ARIS integration** page opens.

The screenshot shows the 'ARIS integration' configuration page in the ARIS Process Mining Administration interface. The left sidebar lists 'Administration' (Overview, Users, Install solution) and 'SYSTEM' (ARIS integration, System integration, Identity Management). The main content area is titled 'ARIS integration' and includes a toggle for 'Enable ARIS integration' (currently Off). Below this, the 'Configure your ARIS integration' section allows selecting an ARIS edition (ARIS Advanced/Basic or ARIS Enterprise) and entering a 'Project room name'. Other options include 'Include ARIS Portal into navigation menu' and 'Transfer process variants to ARIS Repository'. At the bottom, there are 'Discard' and 'Apply' buttons.

Connect ARIS Process Mining to ARIS and enable the link to ARIS

Specify the ARIS project room that you want to connect to and enable the link to ARIS that allows you to jump from ARIS Process Mining to ARIS.

1. Enable the **Enable ARIS integration** option.
2. Under **Configure your ARIS integration**, enable **ARIS Enterprise**.
Specify the URL of your ARIS Enterprise edition including the project room to which you want to connect. You can copy the URL from the browser address bar. Specify the URL in the following form.
`https://<host name>/#<ARIS project room name>`
Example
`https://mycompany.ariscloud.com/#my_ARIS_ProjectRoom`
3. Enable the **Include ARIS in the navigation menu** option.
4. Click **Apply**.


The link to ARIS is enabled.

Keep the **ARIS integration** page open.

To display the **ARIS** link in the **Navigation menu** (☰), you must reload the ARIS Process Mining tab. It may take a few minutes before the link is available in the menu.

Example 6.

Connect ARIS Enterprise and enable the **ARIS** link.



Open ARIS Administration

1. Open ARIS in a separate tab of your web browser.
2. Click **Application launcher** > **Administration**. **Configuration** is displayed.

ARIS Administration opens.

Connect ARIS to ARIS Process Mining and enable the link to ARIS Process Mining

Specify the ARIS Process Mining project room that you want to connect to and enable the link to ARIS Process Mining that allows you to jump from ARIS to ARIS Process Mining.


1. Click **Configuration** > **User management**.
2. Click the arrow next to **Application switcher**.
3. Click **General**.
4. Click **Edit**.
5. Enable the **Enable connection to ARIS Process Mining** option.
6. Enter the **ARIS Process Mining URL**, for example, `https://mc.ariscloud.com`.
7. In the **Tenant** input box, enter the name of the ARIS Process Mining project room you want to connect to, for example, `my_ProcessMining_ProjectRoom`.
8. Click **Save**.

The link to ARIS Process Mining is enabled.

To display the link in the **Application launcher** (:::), you must reload the ARIS tab. It may take a few minutes before the link is available in the menu.

Example 7.

Connect ARIS Process Mining and enable the ARIS Process Mining link in ARIS.



Enable and configure the variant transfer

You must first create a connection in ARIS before you can configure the variant transfer in ARIS Process Mining.

1. Click **Applications**.
2. Click **Add application**.
3. Enter a name, for example, Connection to ARIS Process Mining.
4. Enter an optional description.
5. Select **Authorization code** in the **Grant type** drop-down menu.
6. Enter **UserProfile** in the **Scopes** input field.
7. Enter the **Redirect URL** for your ARIS Process Mining project room.
`https://<host name>/umc/rest/oauth/callback?tenant=<tenant ID>&provider=umc`
 Replace **<host name>** with the host name of the ARIS Process Mining URL. The default host name is **processmining.ariscloud.com**. Replace **<tenant ID>** with the name of the ARIS Process Mining project room to which you want to connect.

Example

`https://processmining.ariscloud.com/umc/rest/oauth/callback?
tenant=my_ProcessMining_ProjectRoom&provider=umc`

8. Click **+ Add**.

The screenshot shows the 'Add application' form in the ARIS Administration interface. The form is titled 'Add application' and has a 'Back' button. The fields are as follows:

- Application name:** Connection to ARIS Process Mining
- Description:** (Empty text area)
- Grant type:** Authorization code (Dropdown menu)
- Scopes:** UserProfile (Text input with a dropdown arrow)
- Redirect URLs:** A list containing two URLs:
 - http://<host name>/umc/rest/oauth/callback?tenant=<tenant ID>&provider=umc
 - https://processmining.ariscloud.com/umc/rest/oauth/callback?tenant=my_ProcessMir

At the bottom of the form are 'Save' and 'Cancel' buttons.

9. Click **Save**.

You have created a connection to ARIS Process Mining.

The created application provides a client ID, client secret, and well-known URL. You need the access data to configure the variant transfer in ARIS Process Mining. Copy the data to the clipboard and insert it into the corresponding fields in ARIS Process Mining.

Example 8.

Access data provided by the application.

The screenshot shows the 'Connection to ARIS Process Mining - Application' details page in the ARIS Administration interface. The page has a 'Back' button and a 'Delete' button. The 'Details' tab is selected, showing the following information:

- Application name:** Connection to ARIS Process Mining
- Description:** (Empty text area)
- Client ID:** b73af6c8-9138-4c12-ab5d-449791f1
- Client secret:** c5403682-4de6-477f-aa5d-5fd57f11
- Grant type:** Authorization code (Dropdown menu)
- Scopes:** UserProfile (Text input with a dropdown arrow)
- Redirect URLs:** A list containing two URLs:
 - http://<host name>/umc/rest/oauth/callback?tenant=<tenant ID>&provider=umc
 - https://processmining.ariscloud.com/umc/rest/oauth/callback?tenant=my_ProcessMir
- Well-known URL:** https://mycompany.ariscloud.com/u
- Application logo:** No logo available.

Configure variant transfer in ARIS Process Mining

1. Open the ARIS Process Mining tab with the **ARIS integration** page.
2. Under **Transfer process variants to ARIS Repository**, enable the **Enable export of variants** option.
3. Copy the client ID, client secret, and well-known URL provided by the **application** created in ARIS and insert them in the corresponding input fields.

Example

Transfer process variants to ARIS Repository

Allow users to transfer selected process variants into your ARIS Repository This requires the configuration of your ARIS authentication

☒ Enable variants export

Configure your ARIS authorization service

Provides the credentials and URL endpoint to connect the ARIS authorization service

[Where do I get Client ID, Client Secret and URL endpoints?](#)

Client ID

xxxxxxxxxxxxxxxx-ab5d-449791f6ca22

Client Secret

Well known URL (for self configuration)

https://mycompany.ariscloud.com/umc/api/v1/oauth/.well-known?tenant=my_ARIS_Proje

☐ Configure endpoints manually

4. Click **Apply**.

The variant transfer is enabled and configured.

Enable and configure reference process transfer for conformance analysis

You must first create an ARIS system integration in ARIS Process Mining before you can configure the required connection in ARIS.

Prerequisite

The link to ARIS Process Mining must be enabled, as shown above.

1. Click  **Create ARIS system integration** at the bottom of the **ARIS integration** page. The corresponding dialog opens.
2. Enter a name, for example, ARIS ConfCheck, and an optional description.

3. Ensure that **Client credentials** is selected as **Grant type (OAuth)**.
4. Click **Add**. The **ARIS Connect access data** dialog opens.

The dialog provides the client ID and secret. You need the access data in the next step to configure the process transfer in ARIS. Copy the data to the clipboard and insert it into the corresponding fields on the **ARIS Process Mining integration** page, as shown in step 8 below.

Example

Access data of the ARIS system integration.

When you click **Done**, the dialog closes and the ARIS system integration is created and listed in the **System integration** component with the name you specified. You can ignore the status of the system integration displayed in the list.

5. Open the ARIS tab with the ARIS Administration.
6. Click **Applications**.
7. Click the **ARIS Process Mining** button. The **Details** page of the **miningserver** application opens.
8. Click the **Edit** button.
9. Specify the application settings.
 - a. You can enter an optional description, for example, Process conformance check.
 - b. Enter the client-credentials key in the corresponding input field.
Copy the client ID and secret from the ARIS system integration, as shown in step 4. Connect the client ID and secret to the client-credentials key as follows:
<client ID>/<secret key>
Example
ef1bf998-9658-4433-94d6-1fe8209ab36b/81cbce47-1e67-43c3-a26c-764d85a47126
 - c. Specify the API scope in the **Scopes** input field. If you register ARIS Process Mining to perform a conformance check, add the **ConformanceCheck** API scope.
 - d. Click **Save**.

Example 9.

Configure the **miningserver** application.

The screenshot shows the ARIS Administration interface. The top navigation bar includes 'ARIS Administration' and 'Applications'. The main header indicates the current view is for 'miningserver - Application'. Below this, there are tabs for 'Details', 'Active sessions', and 'History'. The 'Details' tab is active, displaying the following configuration fields:


- Application name:** miningserver
- Description:** Process conformance check
- Client credentials key:** fcd8b76c-57b3-4fdf-9bc3-2cc5f5e88929/0966b08a-8975-41d1-918d-b58adeb40832
- Grant type:** Client credentials
- Scopes:** ConformanceCheck (with an 'Enter scopes' link)

At the bottom of the configuration section are 'Save' and 'Cancel' buttons.

The reference process transfer for conformance analysis is enabled and configured.

You can now transfer BPMN models from ARIS to ARIS Process Mining. This feature enables you to perform a conformance check using ARIS Process Mining.

The **Transfer as reference process to ARIS Process Mining** button is available in the ARIS Model designer. Open a BPMN model, open the **Model** tab, click the **Conformance check** button -> **Transfer as reference process to ARIS Process Mining**.



1.2.3. Configure the transfer of ARIS users to ARIS Process Mining

You can transfer user data, such as first name, last name, or e-mail address, from ARIS to ARIS Process Mining. You can also remove transferred users from ARIS Process Mining.

For details on transferring and deleting ARIS users, see the chapter [Transfer ARIS users to ARIS Process Mining \[27\]](#).

To configure the user transfer, perform the following steps.

- [Enable identity management service in ARIS Process Mining. \[25\]](#)

■ [Configure identity management service in ARIS. \[25\]](#)

1.2.3.1. Enable the identity management service

Enable the identity management service in ARIS Process Mining.

Procedure


1. Click the  **Navigation menu** icon >  **Administration** in the program header.
2. Click **Identity management** in the **Administration** panel.
3. Enable the **Enable Identity management service** option.

The identity management service is enabled. A token and a URL to the SCIM Rest API end point are displayed in the corresponding **Token** and **URL** fields.

You need the data to configure the identity management service in ARIS. You can copy the provided token and URL to the clipboard and paste them in the corresponding fields on the **ARIS Process Mining integration page**. See the next chapter [Configure identity management \[25\]](#).

Example 10.

Enable identity management in ARIS Process Mining.



1.2.3.2. Configure the identity management service

Configure the identity management service (SCIM) in ARIS.

Prerequisite

[The identity management service is enabled in ARIS Process Mining. \[25\]](#)

Procedure


1. Open ARIS in a separate tab of your web browser.
2. Click  **Application launcher** >  **Administration**.  **Configuration** is displayed.
3. Click **User management**.
4. Click the arrow next to **SCIM**.
5. Click **SCIM client**.
6. Click  **Edit**.
7. Make your settings.
 - a. Enable the **Provisioning** option.
 - b. Specify a connection name, for example, ARIS Process Mining.
 - c. Copy the [token and URL of the SCIM Rest API end point created in ARIS Process Mining \[25\]](#).
Paste the URL into the **Connection URL** input field.
Paste the token into the **Secret token** input field.
 - d. Enable the **Use e-mail address as user name** option to enable the user to log in to ARIS Process Mining.
For more details on configuring SCIM, see the ARIS online help.
8. Click  **Save**.

You have enabled and configured the identity management service.

You can now [transfer existing users from ARIS to ARIS Process Mining \[27\]](#).

Example 11.

Configure the SCIM client for ARIS Process Mining.



The screenshot shows the ARIS Administration web interface. The top navigation bar includes 'ARIS Administration' and 'Configuration'. The left sidebar shows a tree view with 'SCIM client' selected. The main content area displays the configuration for the SCIM client. The 'Provisioning' checkbox is checked. The 'Connection name' is 'ARIS Process Mining'. The 'Provisioning mode' is 'Manual'. The 'Connection URL' is 'https://processmining.ariscloud.com/'. The 'Secret token' is masked with dots. The 'Objects for provisioning' section has 'Users' and 'Groups' checked. The 'Supported user actions' section has 'Create', 'Update', and 'Delete' checked. The 'Supported group actions' section has 'Create', 'Update', and 'Delete' checked. The 'Use e-mail address as the user name' checkbox is unchecked. The 'Maximum number of provisioned users' is set to 200.

1.2.4. Transfer ARIS users to ARIS Process Mining

You can transfer existing users and user groups from ARIS to ARIS Process Mining and remove already transferred users and user groups from ARIS Process Mining.

You can create user groups in ARIS and transfer them to ARIS Process Mining. The users included in a group are created in ARIS Process Mining. If users are removed from the group, they are also removed from ARIS Process Mining.

Prerequisite

[The identity management service is enabled in ARIS Process Mining. \[25\]](#)

[The identity management service is configured in ARIS. \[25\]](#)

Procedure

1. Open ARIS.
2. Click  **Application launcher** >  **Administration**.  **Configuration** is displayed.
3. Click  **User management**.
4. Click **Additional functions** > **Provision users**. The corresponding dialog opens.
5. In the **Available users/user groups** box, select the users or user groups you want to transfer to ARIS Process Mining.
6. Click **Add**. The selected users are added to the **Provisioned users/user groups** box.
7. If you want to remove provisioned users or user groups from ARIS Process Mining, select the users or user groups in the **Provisioned users/user groups** box and click **Remove**.
8. Click **OK**.

The selected users or user groups are transferred to ARIS Process Mining or removed from ARIS Process Mining.

When users are transferred to ARIS Process Mining, the users are notified by e-mail that they can log in to ARIS Process Mining. A user must create a password to log in to ARIS Process Mining.

Note

The transferred users are created in ARIS Process Mining without the required function privileges and user roles. To enable users to log in, you must assign them the necessary permissions and user roles. For details, see the chapter Manage users.

Example 12.

Provision users and user groups in ARIS.

Provision users/user groups



Available users/user groups

1-2 of 2

☐	User/Group	Name
☐	user 3	Last name First name
☐	user 4	Last name First name

Provisioned users/user groups

1-3 of 3

☐	User/Group	Name
☐	user 1	Last name First name
☐	user 2	Last name First name
☐	user 5	Last name First name

1.2.5. Configure login to ARIS using ARIS Process Mining credentials

ARIS Process Mining users can log in to ARIS using ARIS Process Mining credentials. When using the link to ARIS or transferring variants to ARIS, the user no longer needs to log in to ARIS.

After you have [configured the login \[29\]](#), the **Login with ARIS Process Mining** button is displayed in the ARIS login dialog.

When you click **Login with ARIS Process Mining**, the ARIS Process Mining login dialog opens. Enter your ARIS Process Mining user name and password and click **Login**.

Notes

- The user credentials used for login do not need to be registered in ARIS. In this case, a temporary user without access to a database is created in ARIS. If you want to access a database, your user must be registered in ARIS.
- If external single sign-on (SSO) via SAML or similar is used in ARIS, login with ARIS Process Mining credentials is not available.

Example 13.

ARIS login dialog to log in with ARIS Process Mining credentials.

Login



Log in

Login with ARIS Process Mining

[Forgot password?](#)

1.2.5.1. Configure login with ARIS Process Mining credentials

You must first create a new ARIS system integration before you can configure the login in ARIS.

A dedicated client ID, client secret, and a well-known URL are generated for each ARIS system integration. You need the access data to configure a secure connection in ARIS.

Procedure

Create a new ARIS system integration for login with ARIS Process Mining

1. Open ARIS Process Mining.
2. Click the  **Navigation menu** icon >  **Administration** in the program header.
3. Click **ARIS integration** in the **Administration** panel
4. Click  **Create ARIS system integration** at the bottom of the **ARIS integration** page. The corresponding dialog opens.
5. Enter a name, for example, ARIS integration, and an optional description.
6. Select **Authorization code** as authentication method in the **Grant type (OAuth)** drop-down menu.
7. Specify the **Authorization callback URL** that is used to authenticate the ARIS Process Mining user to ARIS.

`https://<host name>/umc/rest/oauth/callback?tenant=<tenant ID>&provider=umc`

Replace **<host name>** with the host name of the ARIS installation. Replace **<tenant ID>** with the ARIS project room you want to login to.

Example

`https://mycompany.ariscloud.com/umc/rest/oauth/callback?
tenant=my_ARIS_ProjectRoom&provider=umc`

Add ARIS product integration

Define a name and optional description for later identification.

Name

Description (optional)

Grant type (OAuth)

Authorization callback URL

[Learn more about our OAuth authorization](#)

Add

Cancel

8. Click **Add**. The **Connect access data** dialog opens. The dialog provides the client ID, client secret, and well-known URL. You need the access data to configure a connection in ARIS. Copy the access data to the clipboard and paste it into the corresponding fields on the **User management** page in ARIS, as described in step 16.

Example

ARIS integration access data

ARIS integration access data ×

How to connect your ARIS product to the integration end-point? Show help
Learn how to connect your ARIS Cloud or ARIS Enterprise installation.

Client ID and secret
The client ID and secret are configured in ARIS for authentication to the ARIS Process Mining cloud.

Client ID
80996f13-f308-45a9-835f-ddb761bcf080 Copy to clipboard

Secret key
2a417603-0357-4810-afd5-e1fbec24af75 Copy to clipboard

Well-known URL
https://processmining.ariscloud.com/umc/api/v1/oauth/.well-known?tenant=my_ProcessMining_Proj Copy to clipboard

Copied to clipboard.

Done

When you click **Done**, the dialog closes and the ARIS system integration is created and listed in the **System integration** component with the name you specified. You can ignore the status of the system integration displayed in the list.

9. Open ARIS in a separate tab of your web browser.
10. Click **Configuration > User management**.
11. Click the arrow next to **OAuth2.0**.
12. Click **General**.
13. Click **Edit**.
14. Enable **Use OAuth2.0**.
The connection between ARIS Process Mining and ARIS is established using the **OAuth** protocol. For more details on configuring OAuth, see the ARIS online help.
15. Copy the client ID, client secret, and well-known URL from the ARIS system integration you created, as described in step 8. Insert the data into the corresponding input fields of the OAuth2.0 configuration.
16. Click **Save**.

You have configured a connection to ARIS Process Mining.

[You can now log in to ARIS using ARIS Process Mining credentials. \[28\]](#)

Example 14.

Configure a connection to ARIS Process Mining.

ARIS Administration

Configuration

AS

Portal

User management

ARIS document storage

Process Governance

Collaboration

Dashboards

Conventions

Databases

Evaluations

Infrastructure

Kerberos

LDAP

User-defined notifications

Password policy

SAML

Security

SMTP

Users

SCIM

Application switcher

OAuth2.0

General

User attributes

Use OAuth2.0

Client ID

Client secret

Well-known URL

Authorization end point

Access token end point

User information end point

Refresh token end point

Create user

Use e-mail address as the user name

2. Support and legal information

This section provides you with some general information regarding product support and legal aspects.

2.1. Documentation scope

The information provided describes the settings and features as they were at the time of publishing. Since documentation and software are subject to different production cycles, the description of settings and features may differ from actual settings and features. Information about discrepancies is provided in the Release Notes that accompany the product. Please read the Release Notes and take the information into account when installing, setting up, and using the product.

If you want to install technical and/or business system functions without using the consulting services provided by SAG ARIS GmbH, you require extensive knowledge of the system to be installed, its intended purpose, the target systems, and their various dependencies. Due to the number of platforms and interdependent hardware and software configurations, we can describe only specific installations. It is not possible to document all settings and dependencies.

When you combine various technologies, please observe the manufacturers' instructions, particularly announcements concerning releases on their Internet pages. We cannot guarantee proper functioning and installation of approved third-party systems and do not support them. Always follow the instructions provided in the installation manuals of the relevant manufacturers. If you experience difficulties, please contact the relevant manufacturer.

If you need help installing third-party systems, contact your local [ARIS sales organization](#). Please note that this type of manufacturer-specific or customer-specific customization is not covered by the standard ARIS software maintenance agreement and can be performed only on special request and agreement.

2.2. Data protection

SAG ARIS GmbH products provide functionality with respect to processing of personal data according to the EU General Data Protection Regulation (GDPR).

Where applicable, appropriate steps are documented in the respective administration documentation.

2.3. Support

Product support

We provide support for ARIS products to all customers with a valid support contract.

Information on product version availability and support, as well as sustained support dates, is available at [ARIS Community](#).

Contact our Global Support services at ARIS Community to [raise and update support incidents](#), or [post ideas and feature requests](#).

Community

Register with [ARIS Community](#) to download products, updates and fixes, find expert information, and interact with other users.

Documentation

For information on how to use and activate products and for other technical support questions, visit the [ARIS Documentation website](#).

If you want to give feedback on any documentation topic, write to documentation@aris.com.

2.4. Legal notices

This document applies to ARIS Process Mining Version 10 and to all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2020-2026 SAG ARIS GmbH, Saarbrücken, Germany and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all SAG ARIS GmbH product names are either trademarks or registered trademarks of Software GmbH and/or SAG ARIS GmbH and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software GmbH Products / Copyright and Trademark Notices of Software GmbH Products". These documents are part of the product documentation, located at <https://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

Use, reproduction, transfer, publication or disclosure is prohibited except as specifically provided for in your License Agreement with SAG ARIS GmbH.